



Colonial Pipeline Company

EDWARD H. COOPER
Controller

Telephone 678-762-2281
Fax 678-762-2571
OIL TARIFF FILING

January 30, 2012

Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, D. C. 20426

ACCOMPANYING TARIFF IS SENT TO YOU
IN COMPLIANCE WITH THE REQUIREMENTS OF THE
INTERSTATE COMMERCE ACT AND FEDERAL ENERGY REGULATORY COMMISSION
REGULATIONS.

THIS TARIFF IS ISSUED BY:

- Colonial Pipeline Company (Colonial)

TARIFF NUMBER

- FERC 98.4.0 (Colonial's Rules and Regulations Tariff)

EFFECTIVE DATE

March 1, 2012

FERC 98.4.0 cancels FERC 98.3.0 and contains the following change:

- Item 10 within Colonial's Rules and Regulations Tariff has been updated for changes to the product specifications located in Colonial's online Shipper Manual. The specific changes to the product specifications can be found in the attached "Appendix A: Table of Changes" Effective March 1, 2012.

Pursuant to 18 CFR Section 343.3, Colonial requests that any protests or complaints related to these publications be transmitted via facsimile to the attention of Kalin Jones at (678) 762-2317 and confirmed by him or his administrative assistant at (678) 762-2322.

I hereby certify that I have on or before this date distributed by agreed-upon means, one copy of the publications listed herein to all subscribers thereto. Questions regarding this tariff filing should be directed to Cristy Campbell at (678) 762-2495.

Very truly yours,

Edward H. Cooper

Appendix A: Table of Changes Effective March 1, 2012

FERC 98.4.0 is being issued January 30, 2012 by Colonial Pipeline Company in order to provide notification to shippers of changes effective March 1, 2012 related to Colonial's current product specifications. The below Table of Changes provides details of the product specification changes being made and the sections and pages within the Shipper Manual affected by the changes. Colonial's tariffs and Shipper Manual can be found online at http://www.colpipe.com/cs_man.asp.

Type of Change	Detail of Change	Section Affected by Change	Page Number
Reference Point Changes	The "Product Codes – Summary" and "Product Codes – Distillate Summary" have been updated to reflect the cancellation of 66 grade, 15 ppm Sulfur Diesel – NR, the addition of grades 67, 15 ppm Heating oil, and the addition of grade 87, Dyed 15 ppm Heating Oil.	NA	2, 5
Section Renumbering	The "Product Specifications Index" has been modified to reflect the cancellation of 66 grade, 15 ppm Sulfur Diesel – NR, the addition of grades 67, 15 ppm Heating Oil, and the addition of grade 87, Dyed 15 ppm Heating Oil. Also updated to reflect the removal of various reserved sections and updated to reflect the renumbering of the sections due to the above changes.	3.1.2	7
Note	The corrosion inhibitors footnote has been modified to include diesel.	3.2.2	8
Note	Modified the notes in the additive section, 61 grade and 86 grade as Mississippi changed their regulations to allow up to 5% Renewable Diesel without additional labeling requirements.	3.2.7, 3.22.2, 3.37.2	9, 44, 68
Specification	Lowered the Benzene specification on product grades A, D, L, M, S, T and V from 4.9 vol% to 3.8 vol% to conform to Consumer Product Safety Commission regulations on labeling requirements.	3.3.2, 3.4.2, 3.7, 3.8.2, 3.9.2, 3.10.2, 3.11.2	11, 13, 20, 22, 24, 26, 28
Specification	Changing the Sulfated Ash on grade 49 B100 from 0.2 wt% to 0.02 wt%.	3.12.1	29

Appendix A: Table of Changes Effective March 1, 2012 (Continued)

Type of Change	Detail of Change	Section Affected by Change	Page Number
Test Methods	Changing multiple test methods for grade 49 B100 Bio-Diesel. These changes are being made in response to feedback from our customers. Test method changes/corrections include: <ul style="list-style-type: none"> - Distillation Temp @90% Rec – Test Method changed from D86 to D1160 - Methanol (Vol%) changed to Methanol (Mass%) - Cold Soak Filterability – Test Method changed from D6217 to D7501 - Diglycerides - Test Method changed from D6585 to D6584 - Triglycerides – Test Method changed from D6586 to D6584 - Corrected Product Property for test method D664 to include (mg). 	3.12.1, 3.12.2	29, 30
Specification	Cancellation of 66 grade, 15 ppm Sulfur Diesel – NR	3.24.1, 3.24.2	47, 48
Specification	Addition of grades 67, 15 ppm Heating Oil, and grade 87, Dyed 15 ppm Heating Oil.	3.24.1, 3.24.2, 3.38.1, 3.38.2	47, 48, 69, 70